Carbohydrate Research, 245 (1993) C3–C4
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Alstad, J. 129
Atzori, M. 113

Baer, H.H. 347
Biviano, F. 113
Bøvre, K. 129
Brade, H. 159
Brand, J.M. 271
Bryn, K. 129

Cai, S. 175
Chai, W. 259
Chatterton, N.J. 11
Chen, S. 259
Cirelli, A.F. 361
Crawley, S.C. 323

D'Accorso, N.B. 145
Dankert, M.A. 303
Datta, A.K. 151
Dean, B. 175

Edebrink, P. 311

Fang, Y. 259
Flaibani, A. 113

Gardon, V. 233
Gidley, M.J. 289
Gray, J.S.S. 271

Hahn, M.G. 333
Haishima, Y. 353
Hakomori, S.-i. 175
Harris, S.L. 245
He, Y. 259
Hindsgaul, O. 137, 323
Hisatsune, K. 353
Holst, O. 159
Hong, N. 333
Hoshino, E. 105
Huang, H. 259

Ito, T. 105

Jansson, P.-E. 303, 311
Jantzen, E. 129
Jegou, H. 57

Karkalas, J. 289
Kerékgyártó, J. 65
Khouri, S.J. 165
Kinzy, W. 193
Kitamura, S. 81
Koerner, T.A.W. 271
Kondo, S. 353
Kováč, P. 219
Kovensky, J. 361
Kroon-Batenburg, L.M.J. 21
Kroon, J. 21
Kvam, B.J. 113

Langlois, V. 57
Leeflang, B.R. 21
Lindberg, J. 303
Linker, T. 323
Lipták, A. 65
Liu, J. 11
Ló, V.-M. 333
Löw, A. 193

Maki, K. 81
Marino-Albernas, J.-R. 245
Martin, M.L. 57
Montgomery, R. 271

Nagai, M. 43
Nakazawa, F. 105
Needs, P.W. 1
Nishijo, J. 43

Ogawa, T. 333
Oguchi, H. 175
Otsuji, E. 175

Palcic, M.M. 137
Paoletti, S. 113

Peng, J. 259
Pinto, B.M. 245

Reistad, R. 129
Robyt, J.F. 97

Sato, M. 105
Sato, N. 105
Selvendran, R.R. 1
Srivastava, G. 137
Szurmai, Z. 65

Takayama, K. 151
Takeo, K. 81
Tanriseven, A. 97
Tashiro, K. 175
Tawarah, K.M. 165
Tester, W.R.M.R.F. 289
Thiel, I.M.E. 145
Toffanin, R. 113
Toyokuni, T. 175

Van Halbeek, H. 333
Varma, V. 245
Viaud, M.-C. 233
Vliegenthart, J.F.G. 21

Wada, Y. 81
Watabe, T. 353
Waterhouse, A.L. 11
Wessel, H.P. 233
Widmalm, G. 311
Williams, J.M. 57
Wimalasiri, K.M.S. 303
Wu, X. 347

Xin, B. 259

Yasuda, M. 43

Zähringer, U. 129
Zhang, B.-L. 57
Zhao, L. 259

Carbohydrate Research, 245 (1993) C5–C7
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

2-Acetamido-2-deoxy-5-*O*-(3-deoxy-β-*manno*-octulopyranosyl)-β-D-galactopyranosyl repeating unit, a polysaccharide produced by a mucoid strain of *Moraxella nonliquefaciens* with a, 129

Acetan, an exopolysaccharide elaborated by *Acetobacter xylinum*, structural studies, 303

Acetobacter xylinum, structural studies of an exopolysaccharide acetan elaborated by, 303

N-Acetylglucosaminyltransferase-V, recognition of the acceptor β-D-Glc*p*NAc-(1 → 2)-α-D-Man*p*-(1 → 6)-β-D-Glc*p*-OR by: none of the hydroxyl groups on the Glc residue are important, 323

β-D-Allopyranose, *O*-β-D-hexapyranosyl-(1 → 4)-, 1,2,3,6,2′,3′,4′,6′-octa-*O*-benzoyl-, synthesis and NMR data of, 145

Amylose in lintnerised waxy and non-waxy barley starches, resistance to acid hydrolysis of lipid-complexed and lipid-free, 289

8-Anilino-1-naphthalenesulfonate, interaction of, with 2,6-di-*O*-methylcyclomaltoheptaose, 43

Antigen of *Shigella dysenteriae* type 1, O-specific antigen, glycosyl-donor forms of fragments of, 219

Antigenic polysaccharide of *Eubacterium saburreum* strain T19, structure of, 105

Calonyctin A, a plant growth regulator, structure of, 259

Capsular polysaccharide (S-21) from *Klebsiella pneumoniae* ATCC 31314 structural studies, 311

Cellobioside, conformational analysis of methyl β-, by ROESY NMR spectroscopy and MD simulations in combination with the CROSREL method, 21

Conformational analysis of methyl β-cellobioside by ROESY NMR spectroscopy and MD simulations in combination with the CROSREL method, 21

Convergent synthesis of an elusive hexasaccharide corresponding to the cell-wall polysaccharide of the β-hemolytic *Streptococcus* Group A, 245

Cord factors, mirror, synthesis of protected, 347

Corynomycolates, 6-mono- and 6,6′-di-, of trehalose from *Corynebacterium matruchotii*, structural characterization of, 151

Cyclodehalogenation of dideoxy-diiodohexopyranoses to cyclopropyl derivatives, 233

Cyclodextrins, an equilibrium study of *p*-Methyl Red inclusion complexes with α- and β-, 165

Cyclomaltoheptaose, 2,6-di-*O*-methyl, interaction of 8-anilino-1-naphthalenefulfonate with, 43

4,6-Cyclopropyl-4,6-dideoxy-hexopyranoses by palladium-mediated cyclodehalogenation, 233

Degradation during sodium hydroxide/methyl iodide-mediated carbohydrate methylation in dimethyl sulfoxide, avoiding oxidative, 1

Dextransucrase inhibition at high sucrose concentrations, interpretation of, 97

Erwinia chrysanthemi, structure of an extracellular polysaccharide produced by, 271

Eubacterium saburreum strain T19, structure of antigenic polysaccharide of, 105

Exopolysaccharide elaborated by *Acetobacter xylinum*, structural studies of acetan, 303

Extracellular polysaccharide produced by *Erwinia chrysanthemi*, structure of an, 271

α-L-Fuc*p*-(1 → 2)-β-D-Gal*p*-(1 → 4)-[α-L-Fuc*p*-(1 → 3)]-β-D-Glc*p*NAcO$(CH_2)_8CO_2Et$, synthesis of, 193

O-β-D-Galactopyranosyl-(1 → 4)-β-D-allopyranose, 1,2,3,6,2′,3′,4′,6′-octa-*O*-benzoyl-, synthesis and NMR data of, 145

β-(1 → 4)-D-Galactosyltransferase, chemical synthesis and kinetic characterization of UDP-2-deoxy-D-*lyxo*-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for, 137

O-β-D-Glucopyranosyl-(1 → 4)-β-D-allopyranose, 1,2,3,6,2′,3′,4′,6′-octa-*O*-benzoyl-, synthesis and NMR data of, 145

D-Glucose derivatives suitable for the study of natural hydrogen isotope fractionation, the search for, 57

D-Glucuronic acid 2-*O*-sulphated in rat liver heparan sulphate, 361

Glycopeptidolipid antigen of *Mycobacterium avium* serovar 20, synthesis of a spacer armed tetrasaccharide, 65

Glycosyl donors (di- and tri-saccharide) for the synthesis of fragments of the O-specific antigen of *Shigella dysenteriae* type 1, 219

Heparan sulphate, 361

Heptose, identification of oligosaccharides consisting of D-glucuronic acid and L-*glycero*-D-*manno*- and D-*glycero*-D-*manno*-, isolated from the lipopolysaccharide of *Vibrio haemolyticus* O2, 353

Hexasaccharide corresponding to the cell-wall polysaccharide of the β-hemolytic *Streptococcus* Group A, convergent synthesis of an elusive, 245

Hyaluronate, NMR studies of oligosaccharides derived from, 113

Hydrogen isotope fractionation, the search for D-glucose derivatives suitable for the study of natural, 57

Inhibition at high sucrose concentrations, interpretation of dextransucrase, 97

Interpretation of dextransucrase inhibition at high sucrose concentrations, 97

Isotope fractionation, the search for D-glucose derivatives suitable for the study of natural hydrogen, 57

1,1,1-Kestopentaose {[β-D-Fru*f*-(2 → 1)]$_4$-(2 ↔ 1)-α-D-Glc*p*} and nystose {[β-D-Fru*f*-(2 → 1)]$_3$-(2 ↔ 1)-α-D-Glc*p*}, proton and carbon NMR chemical-shift assignments for, from two-dimensional NMR spectral measurements, 11

Klebsiella pneumoniae ATCC 31314, structural studies of the capsular polysaccharide (S-21) from, 311

β-Lactosyl clusters, synthesis of, 175

Laminara-oligosaccharides of dp 3–8, synthesis of the methyl β-glycosides, 81

Lewis-y tetrasaccharide, ethoxycarbonyloctanyl glycoside, synthesis of, 193

Lintnerised waxy and non-waxy barley starches, resistance to acid hydrolysis of lipid-complexes and lipid-free amylose in, 289

Lipopolysaccharide of *Salmonella minnesota* strain R5 (rough mutant chemotype RcP$^-$), isolation and structural analysis of the tetrasaccharide from the core region, 159

Lipopolysaccharide of *Vibrio parahaemolyticus* O2, identification of oligosaccharides consisting of D-glucuronic acid and L-*glycero*-D-*manno*- and D-*glycero*-D-*manno*-heptose, 353

L-Lysine, β-lactosyl-, synthesis of, 175

L-Lysyl-L-lysine, β-lactosyl, synthesis of, 175

Methylation of carbohydrates in dimethyl sulfoxide, avoiding oxidative degradation during sodium hydroxide/methyl iodide-mediated, 1

Methyl β-cellobioside, conformational analysis by ROESY NMR spectroscopy and MD simulations in combination with the CROSREL method, 21

Methyl β-glycosides of the laminara-oligosaccharides of dp 3–8, synthesis, 81

p-Methyl Red, an equilibrium study of inclusion complexes of α- and β-cyclodextrins with, 165

p-Methyl Red inclusion complexes with α- and β-cyclodextrins, an equilibrium study of, 165

Mirror cord factors [dimycolyl esters of an α,α-(1 ↔ 1)-bisheptosiduronic acid], synthesis of protected, 347

Moraxella nonliquefaciens, a polysaccharide with a 2-acetamido-2-deoxy-5-*O*-(3-deoxy-β-D-*manno*-octulopyranosyl)-β-D-galactopyranosyl repeating unit produced by a mucoid strain of, 129

NMR spectra of phytoalexin elicitor-active oligoglucosides, complete assignment of the ^{1}H, 333

NMR spectral measurements, proton and carbon NMR chemical-shift assignments for nystose {[β-D-Fru*f*-(2 → 1)]$_3$-(2 ↔ 1)-α-D-Glc*p*} and 1,1,1-kestopentaose {[β-D-Fru*f*-(2 → 1)]$_4$-(2 ↔ 1)-α-D-Glc*p*} from two-dimensional, 11

NMR studies of oligosaccharides derived from hyaluronate, 113

Nystose {[β-D-Fru*f*-(2 → 1)]$_3$-(2 ↔ 1)-α-D-Glc*p*} and 1,1,1-kestopentaose {[β-D-Fru*f*-(2 → 1)]$_4$-(2 ↔ 1)-α-D-Glc*p*}, proton and carbon NMR chemical-shift assignments for, from two-dimensional NMR measurements, 11

Oligosaccharides consisting of D-glucuronic acid and L-*glycero*-D-*manno*- and D-*glycero*-D-*manno*-heptose isolated from *Vibrio parahaemolyticus* O2 lipopolysaccharide, identification, 353
Oligosaccharides derived from hyaluronate, NMR studies of, 113
Oxidative degradation during sodium hydroxide/methyl iodide-mediated carbohydrate methylation in dimethyl sulfoxide, avoiding, 1

Palladium-mediated cyclodehalogenation, 233
Phytoalexin elicitor-active oligoglucosides, complete assignment of the ^{1}H NMR spectra of, 333
Plant growth regulator calonyctin A, structure, 259
Polysaccharide, antigenic, of *Eubacterium saburreum* strain T19, structure of, 105
Polysaccharide (S-21) from *Klebsiella pneumoniae* ATCC 31314, structural studies of the capsular, 311
Polysaccharide of the β-hemolytic *Streptococcus* Group A, convergent synthesis of an elusive hexasaccharide corresponding to the cell-wall, 245
Polysaccharide produced by a mucoid strain of *Moraxella nonliquefaciens* with a 2-acetamido-2-deoxy-5-*O*-(3-deoxy-β-D-*manno*octulopyranosyl) -β-D-galactopyranosyl repeating unit, 129

Rat liver heparan sulphate, 361

Salmonella minnesota strain R5 (rough mutant chemotype RcP$^-$), isolation and structural analysis of the tetrasaccharide from the core region of the lipopolysaccharide of, 159
Shigella dysenteriae type 1 O-specific antigen, glycosyl-donor forms of fragments of, 219
Starches, resistance to acid hydrolysis of lipid-complexed and lipid-free amylose in lintnerised waxy and non-waxy barley, 289
Structure of an extracellular polysaccharide produced by *Erwinia chrysanthemi*, 271
Synthesis, chemical, and kinetic characterization of UDP-2-deoxy-D-*lyxo*-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for β-(1 → 4)-D-galactosyltransferase, 137

Tetrasaccharide from the core region of the lipopolysaccharide of *Salmonella minnesota* strain R5 (rough mutant chemotype RcP$^-$1) isolation and structural analysis, 159
Tetrasaccharide glycopeptidolipid antigen of *Mycobacterium avium* serovar 20, synthesis of a spacer armed, 65
Tetrasaccharide, Lewis-y, ethoxycarbonyloctanyl glycoside, synthesis of, 193
Trehalose 6-mono- and 6,6′di-corynomycolates from *Corynebacterium matruchotii*, structural characterization of, 151
p-Trifluoroacetamido 6-deoxy-2-*O*-{3-*O*-[2-*O*-methyl-3-*O*-(2-*O*-α-D-rhamnopyranosyl)-α-L-fuclpyranosyl]-α-L-rhamnopyranosyl}-α-L-talopyranoside, synthesis of, 65

UDP-2-deoxy-D-*lyxo*-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for β-(1 → 4)-D-galactosyltransferase, chemical synthesis and kinetic characterization of, 137